Thursday, 3/30/2006 10:05:55 AM Kim Johnston User: **Process Sheet** : STRUT ' Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** : 26448 Job Number : 10285 **Estimate Number** :N/A : D2565111 P.O. Number Part Number S.O. No. : N/A : 3/30/2006 **Drawing Number** D2565 REV E This Issue **Project Number** ; N/A Prsht Rev. : NIA : SMALL /MED FAB Type : E₅ First Issue **Drawing Revision** : N/A : 25976 Material **Previous Run** 20 Um: **Due Date** : 4/10/2006, Qty: Each Written By Checked & Approved By : Est: E 01.06.04 Added Powder Coat, Removed Polish, and Comment Added Inspection Levels 3 & 21 **Additional Product** Job Number: Sea. #: Machine Or Operation: Description: 304 RD Tube .750 x .049W M304TR0750W049 1.0 Comment: Qtv.: 1.1944 f(s)/Unit Total: 23.8875 f(s) Material: 304/316 SS tubing 0.750" Dia. x 0.049" wall 20 06.04.03 (M304TR0750W049) Batch No: 17/00540 BRAKE NC NC BRAKE 2.0 Comment: BRAKE NO 06.04.03 Punch as per Dwg D2565 using DT 8313 3.0 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 20 FF 06.04.11 Deburr and polish 4.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE Comment: INSPECT PARTS AS THEY COME OFF MACHINE SECOND CHECK 5.0 2008 Comment: SECOND CHECK POWDER COATING 6.0 POWDER COATING Comment: POWDER COATING

Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC inspector		
604.12	5.0	Make change.	E	06.05.03		<u></u>	0604.17		
					-				

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date: <u>06/05/02</u>
			QA: N/C Closed:	Date:

	WORK ORDER NON-CONFORMANCE (NCR)							
	Description of NC	Corrective Action Section B			Varification	Γ		
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspector	
					-			
	(A)				+			
	STEP	STEP Description of NC Section A	STEP Section A Initial	STEP Section A Initial Action Description	STEP Section A Initial Action Description Sign &	STEP Section A Initial Action Description Sign & Section C	STEP Section A Initial Action Description Sign & Section C Chief Eng	

NOTE: Date & initial all entries

Thursday, 3/30/2006 10:05:55 AM Date: User: Kim Johnston **Process Sheet Drawing Name: STRUT** Customer: CU-DAR001 Dart Helicopters Services Job Number: 26448 Part Number: D2565111 Job Number: Seq. #: Description: **Machine Or Operation:** INSPECT POWDER COAT/CHEMICAL CONVERSION QC3 7.0 Comment: INSPECT POWDER COAT PACKAGING 1 PACKAGING RESOURCE # 8.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 9.0 DC 1 06-05-02 Comment: DOCUMENT CONTROL Inspection Level 21 Job Completion

Dart Aerospace Ltd

W/O:			WC	RK ORDER CHANG	ES				
DATE	STEP	PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			-3-						
			5						
							 		
d to									
Part No	:	PAR #:	Fault Categ	jory:	NCR: Yes	No DQ	A:	Date:	
					QA: I	N/C Close	d:	Date: _	
NCR:			WORK ORDE	R NON-CONFORMA	NCE (NC	₹)			
		Description of NC		Corrective Action Section B		Varification		Ammanal	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Secti	Verification Section C	Approval Chief Eng	Approval QC Inspector
					;				
						3			
					1.80				


NOTE: Date & initial all entries





DESIGN DRAWN BY		DRAWN BY	DART AERO HAWKESBURY, ON	
CHEC	(EO	APPROVED	DRAWING NO. D2565	REV. E
DATE	-14	774	TITLE	SHEET 1 OF 1
	05.05		STRUT	1:3
 Α		96.05.03	NEW ISSUE	
В		97.03.15	CORRECT D2565-111	DIM. A
O		98.10.05	UPDATED MATERIAL N	OTE (TSR A603)
D		02.06.05	ADD -3XX PARTS; AD	DD FINISH
E 04.05.05 ADD D2565-401-411; RMV ANGL				1; RMV ANGLE D





PART #	Į.	Α	В	DIA C
D2565-	-101	20.52	19.72	0.316
D2565-		18.21	17.41	0.316
D2565-		20.19	19.39	0.316
D2565-	-107	13.43	12.63	_
D2565-		12.31	11.51	
Z D2565-	-111	13.65	12.85	- "
D2565-		22.79	22.00	0.316
D2565-		20.75	19.95	0.316
D2565-		21.22	20.42	0.316
D2565-		16.07	15.27	-
D2565-		15.16		-
D2565-	-211	14.14	13.34	- '
D2565-		27.03		
D2565-		25.34	24.54	0.316
D2565-		23.73		0.316
D2565-			20.06	
D2565-		20.17	19.37	
D2565-	-311	16.30	15.50	_
D2565-		18.29	17.49	0.316
D2565-		15.64	14.84	0.316
D2565-		19.45	18.65	0.316
D2565-		10.79	9,99	
D2565-		9.34	8.54	_
D2565-	<u>-411</u>	13.81	13.01	

GENERAL NOTES

SHOP COPY

MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL

RETURN TO **ENGINEERING**

(REF DART SPEC. M304TR0.750W0.049) ENSURE SEAMLESS TUBE IS USED

UNCONTROLLED COPY

2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 SUBJECT TO AMENDMENT 3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED WITHOUT NOTICE

4) ALL DIMENSIONS ARE IN INCHES

WORK, ORDER

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.